

IN THE CLAIMS

The following is a complete list of the claims now pending; this listing replaces all earlier versions and listings of the claims.

Claims 1-100 (canceled)

Claim ~~101~~¹ (currently amended): An office image processing apparatus

which can be connected to an external apparatus via a network, said office image processing apparatus comprising:

reception control means for controlling a reception process of receiving agent information including a command train ~~and data~~ in which a work flow is programmed describing a series of processes to be executed in a plurality of image processing apparatuses, wherein the work flow further describes a first image process to be executed in said image processing apparatus and a second image process to be executed in an external image processing apparatus which is different in mechanism from said image processing apparatus, and wherein the work flow can be programmed such that the second image process is executed after execution of the first image process;

control means for controlling [[a]] an image processing mechanism of said office image processing apparatus by executing, based on the command train included in the received agent information, a control program that controls the image processing mechanism;

memory management means for managing a memory area for executing the command train included in the received agent information;

transmission control means for controlling, responsive to said control means terminating execution of the control program based on the command train, a transmission process of transmitting a process end notice to the external apparatus ~~so as to cause a display unit of the external apparatus to display a process end confirmation window; and~~

obtainment means for obtaining a reply to the process end notice from the external apparatus,

wherein said memory management means releases the memory area for executing the command train included in the received agent information in response to said obtainment means obtaining the reply from the external apparatus.

²
Claim ~~102~~ (currently amended): An ~~office~~ image processing apparatus according to claim ~~101~~, wherein,

said control means controls the image processing mechanism to execute a print process,

said transmission control means controls, responsive to the image processing mechanism terminating execution of the print process, a transmission process of transmitting a print end notice to the external apparatus so as to cause the display unit of the external apparatus to display a print end confirmation window, and

said obtainment means obtains the reply sent from the external apparatus in response to a user of the external apparatus entering a print end confirmation.

3
Claim ~~103~~¹ (currently amended): An ~~office~~ image processing apparatus according to claim ~~101~~¹, further comprising an execution means for executing the command train to determine whether a result of processing by the image processing mechanism is an unrecoverable error, and if the result of processing is an unrecoverable error, writing the occurrence of the unrecoverable error to a memory area which is dynamically reserved for the agent information as a data field.

D
1
4
Claim ~~104~~⁴ (currently amended): An ~~office~~ image processing apparatus which can be connected to a network comprising:
reception control means for controlling a reception process of receiving agent information including a command train in which a work flow is programmed describing a series of processes to be executed in a plurality of office image processing apparatuses, wherein the work flow further describes ~~a first office apparatus from the plurality of office apparatuses to execute a first process and a second office apparatus from the plurality of office apparatuses to execute a second process after completion of the first process by the first office apparatus~~ a first image process to be executed in said image processing apparatus and a second image process to be executed in an external image processing apparatus which is different in function from said image processing apparatus, and wherein the work flow can be programmed such that the second image process is executed after execution of the first image process;

control means for controlling [[a]] an image processing mechanism of said ~~office~~ image processing apparatus by executing, based on the command train

included in the received agent information, a control program that controls the image processing mechanism;

execution means for executing one of the series of processes described in the work flow to be executed in said ~~office~~ image processing apparatus; and

transmission control means for controlling, responsive to said execution means terminating execution of the one process, a transmission process of automatically transmitting the agent information from said image processing apparatus to ~~an external office~~ the external image processing apparatus so as to cause the external image processing apparatus to execute the command train based on the work flow.

5
Claim ~~105~~⁵ (currently amended): An ~~office~~ image processing apparatus according to claim ~~104~~⁴, ~~further comprising management means for managing information indicating which process or processes of the series of the processes described in the work flow have been processed wherein said image processing apparatus is a print apparatus and the external image processing apparatus is a filing apparatus.~~

6
Claim ~~106~~⁶ (currently amended): An ~~office~~ image processing apparatus according to claim ~~104~~⁴, wherein said ~~office~~ image processing apparatus is a printer, and wherein the work flow is programmed such that the printer executes a print process and then transmits image data for printing to the external ~~office~~ image processing apparatus and such that the external ~~office~~ image processing apparatus stores the image data.

7
Claim ~~107~~¹⁰⁷ (currently amended): An office image processing apparatus according to claim ~~104~~⁴, wherein said transmission control means controls the transmission process to copy the agent information in whole or in part and distributes the copied agent information to at least one external office image processing apparatus such that the series of processes described in the work flow may be executed in parallel.

D
1
8
Claim ~~108~~¹⁰⁸ (currently amended): An office image processing apparatus according to claim ~~104~~⁴, wherein the agent information controls in the external office image processing apparatus a process of voluntarily releasing a memory area reserved for the agent information while retaining the image data for printing processed by the agent information.

9
Claim ~~109~~¹⁰⁹ (currently amended): An office image processing apparatus according to claim ~~104~~⁴, wherein the image processing mechanism includes at least one of an image filing mechanism, a scanner mechanism and a printer mechanism.

10
Claim ~~110~~¹¹⁰ (currently amended): A network system including an office image processing apparatus and an external apparatus, said system comprising:
input means for inputting agent information including a command train ~~and data~~ in which a work flow is programmed describing a series of processes to be executed in a plurality of image processing apparatuses, wherein the work flow further describes a first image process to be executed in said image processing apparatus and a second image process to be executed in an external image processing apparatus which is

different in mechanism from said image processing apparatus, and wherein the work flow can be programmed such that the second image process is executed after execution of the first image process;

control means for controlling ~~[[a]]~~ an image processing mechanism of said ~~office~~ image processing apparatus by executing, based on the command train included in the agent information input by said input means, a control program that controls the image processing mechanism;

memory management means for managing a memory area for executing the command train included in the input agent information;

transmission control means for controlling, responsive to said control means terminating execution of the control program based on the command train, a transmission process of transmitting a process end notice to ~~the~~ said external apparatus;

display control means for controlling a display process of displaying a process end confirmation window on a display unit of said external apparatus in response to the process end notice transmitted by said transmission control means;

response means for sending a reply to the transmitted process end notice from said external apparatus to said ~~office~~ image processing apparatus; and

obtainment means for obtaining the reply sent by said response means,

wherein said memory management means releases the memory area for executing the command train included in the received agent response to said obtainment means obtaining the reply from said external apparatus.

11
Claim ~~11~~ (currently amended): A system including a plurality of office image processing apparatuses which can be connected to a network, each office image processing apparatus comprising:

reception control means for controlling a reception process of receiving agent information including a command train in which a work flow is programmed describing a series of processes to be executed in said plurality of office image processing apparatuses, wherein the work flow further describes ~~a first office apparatus from the plurality of office apparatuses to execute a first process and a second office apparatus from the plurality of office apparatuses to execute a second process after completion of the first process by the first office apparatus~~ a first image process to be executed in said image processing apparatus and a second image process to be executed in another of said plurality of image processing apparatuses which is different in function from said image processing apparatus, and wherein the work flow can be programmed such that the second image process is executed after execution of the first image process;

control means for controlling ~~[[a]]~~ an image processing mechanism of said office image processing apparatus by executing, based on the command train included in the received agent information, a control program that controls the image processing mechanism;

execution means for executing one of the series of processes described in the work flow to be executed in said office image processing apparatus; and

transmission control means for controlling, responsive to said execution means terminating execution of the one process, a transmission process of automatically transmitting the agent information from said image processing apparatus to

another of said plurality of ~~office~~ image processing apparatuses so as to cause said another ~~office~~ image processing apparatus to execute the command train based on the work flow.

¹²
Claim ~~112~~ (currently amended): A control method for controlling an ~~office~~ image processing apparatus which can be connected to an external apparatus via a network, said control method comprising:

D
1
a reception control step, of controlling a reception process of receiving agent information including a command train ~~and data~~ in which a work flow is programmed describing a series of processes to be executed in a plurality of image processing apparatuses, wherein the work flow further describes a first image process to be executed in the image processing apparatus and a second image process to be executed in an external image processing apparatus which is different in mechanism from the image processing apparatus, and wherein the work flow can be programmed such that the second image process is executed after execution of the first image process;

a control step, of controlling ~~[[a]]~~ an image processing mechanism of ~~said office~~ the image processing apparatus by executing, based on the command train included in the received agent information, a control program that controls the processing mechanism;

a memory management step, of managing a memory area for executing the command train included in the received agent information;

a transmission control step, of controlling, responsive to said control step terminating execution of the control program based on the command train, a transmission process of transmitting a process end notice to the external apparatus ~~so as to~~

cause a display unit of the external apparatus to display a process end confirmation window; and

an obtainment step, of obtaining a reply to the process end notice from the external apparatus,

wherein said memory management step includes releasing the memory area for executing the command train included in the received agent information in response to the reply being obtained from the external apparatus in said obtainment step.

¹³
Claim ~~113~~ (currently amended): A control method according to claim ¹²~~112~~,
wherein,

said control step includes controlling the processing mechanism to execute a print process,

said transmission control step includes controlling, responsive to the processing mechanism terminating execution of the print process, a transmission process of transmitting a print end notice to the external apparatus so as to cause the display unit of the external apparatus to display a print end confirmation window, and

said obtainment step includes obtaining the reply sent from the external apparatus in response to a user of the external apparatus entering a print end confirmation.

¹⁴
¹² Claim ~~114~~ (previously presented): A control method according to claim ~~112~~, further comprising an execution step, of executing the command train to determine whether a result of processing by the processing mechanism is an unrecoverable error, and

if the result of processing is an unrecoverable error, writing the occurrence of the unrecoverable error to a memory area which is dynamically reserved for the agent information as a data field.

¹⁵
Claim ~~115~~ (currently amended): A control method for controlling an office image processing apparatus which can be connected to a network, said control method comprising:

D
|
a reception control step, of controlling a reception process of receiving agent information including a command train in which a work flow is programmed describing a series of processes to be executed in a plurality of office image processing apparatuses, wherein the work flow further describes ~~a first office apparatus from the plurality of office apparatuses to execute a first process and a second office apparatus from the plurality of office apparatuses to execute a second process after completion of the first process by the first office apparatus~~ a first image process to be executed in the image processing apparatus and a second image process to be executed in an external image processing apparatus which is different in function from the image processing apparatus, and wherein the work flow can be programmed such that the second image process is executed after execution of the first image process;

a control step, of controlling ~~[[a]]~~ an image processing mechanism of ~~said office~~ the image processing apparatus by executing, based on the command train included in the received agent information, a control program that controls the processing mechanism;

an execution step, of executing one of the series of processes described in the work flow to be executed in ~~said office~~ the image processing apparatus; and

a transmission control step, of controlling, responsive to said execution step terminating execution of the one process, a transmission process of automatically transmitting the agent information from the image processing apparatus to an ~~external office~~ the external image processing apparatus so as to cause the external apparatus to execute the command train based on the work flow.

¹⁶ Claim ~~116~~ (currently amended): A control method according to claim ¹⁵ ~~115~~, further comprising a management step, of managing information indicating which process or processes of the series of the processes described in the work flow have been processed wherein the image processing apparatus is a printing apparatus and the external image processing apparatus is a filing apparatus.

¹⁷ Claim ~~117~~ (currently amended): A control method according to claim ¹⁵ ~~115~~, wherein ~~said office~~ the image processing apparatus is a printer, and wherein the work flow is programmed such that the printer executes a print process and then transmits image data for printing to the external ~~said office~~ the image processing apparatus and such that the external ~~said office~~ the image processing apparatus stores the image data.

¹⁸ Claim ~~118~~ (currently amended): A control method according to claim ¹⁵ ~~115~~, wherein said transmission control step includes controlling the transmission process to

copy the agent information in whole or in part and ~~distributes~~ distributing the copied agent information to at least one external ~~office~~ image processing apparatus such that the series of processes described in the work flow may be executed in parallel.

¹⁹
Claim ~~119~~ (currently amended): A control method according to claim ¹⁵~~115~~, wherein the agent information controls in the external ~~office~~ image processing apparatus a process of voluntarily releasing a memory area reserved for the agent information while retaining the image data for printing processed by the agent information.

²⁰
Claim ~~120~~ (previously presented): An office apparatus according to claim ¹⁵~~115~~, wherein the processing mechanism includes at least one of an image filing mechanism, a scanner mechanism and a printer mechanism.

²¹
Claim ~~121~~ (currently amended): A computer program product embodying a program for implementing a control method of controlling an ~~office~~ image processing apparatus which can be connected to an external apparatus via a network, said program comprising:

program code for a reception control step, of controlling a reception process of receiving agent information including a command train ~~and data~~ in which a work flow is programmed describing a series of processes to be executed in a plurality of image processing apparatuses, wherein the work flow further describes a first image process to be executed in the image processing apparatus and a second image process to be executed in an external image processing apparatus which is different in mechanism from

the image processing apparatus, and wherein the work flow can be programmed such that the second image process is executed after execution of the first image process;

program code for a control step, of controlling [[a]] an image processing mechanism of ~~said office~~ the image processing apparatus by executing, based on the command train included in the received agent information, a control program that controls the processing mechanism;

program code for a memory management step, of managing a memory area for executing the command train included in the received agent information;

program code for a transmission control step, of controlling, responsive to said control step terminating execution of the control program based on the command train, a transmission process of transmitting a process end notice to the external apparatus ~~so as to cause a display unit of the external apparatus to display a process end confirmation window;~~ and

program code for an obtainment step, of obtaining a reply to the process end notice from the external apparatus,

wherein said memory management step releases the memory area for executing the command train included in the received agent information in response to said obtainment step obtaining the reply from the external apparatus.

²²
Claim ~~122~~ (currently amended): A computer program product embodying a program for implementing a control method of controlling an ~~office~~ image processing apparatus which can be connected to a network, said program comprising:

program code for a reception control step, of controlling a reception process of receiving agent information including a command train in which a work flow is programmed describing a series of processes to be executed in a plurality of office image processing apparatuses, wherein the work flow further describes ~~a first office apparatus from the plurality of office apparatuses to execute a first process and a second office apparatus from the plurality of office apparatuses to execute a second process after completion of the first process by the first office apparatus~~ a first image process to be executed in the image processing apparatus and a second image process to be executed in an external image processing apparatus which is different in function from the image processing apparatus, and wherein the work flow can be programmed such that the second image process is executed after execution of the first image process;

program code for a control step, of controlling ~~[[a]]~~ an image processing mechanism of ~~said office~~ the image processing apparatus by executing, based on the command train included in the received agent information, a control program that controls the processing mechanism;

program code for an execution step, of executing one of the series of processes described in the work flow to be executed in ~~said office~~ the image processing apparatus; and

program code for a transmission control step, of controlling, responsive to said execution step terminating execution of the one process, a transmission process of automatically transmitting the agent information from the image processing apparatus to an external office the external image processing apparatus so as to cause the external apparatus to execute the command train based on the work flow.

23

Claim ~~123~~ (currently amended): A computer-readable memory medium which stores a program for controlling an office image processing apparatus which can be connected to an external apparatus via a network, said memory medium comprising program codes that allow the office image processing apparatus to execute:

a reception control step, of controlling a reception process of receiving agent information including a command train ~~and data~~ in which a work flow is programmed describing a series of processes to be executed in a plurality of image processing apparatuses, wherein the work flow further describes a first image process to be executed in the image processing apparatus and a second image process to be executed in an external image processing apparatus which is different in mechanism from the image processing apparatus, and wherein the work flow can be programmed such that the second image process is executed after execution of the first image process;

a control step, of controlling ~~[[a]]~~ an image processing mechanism of ~~said office~~ the image processing apparatus by executing, based on the command train included in the received agent information, a control program that controls the processing mechanism;

a memory management step, of managing a memory area for executing the command train included in the received agent information;

a transmission control step, of controlling, responsive to said control step terminating execution of the control program based on the command train, a transmission process of transmitting a process end notice to the external apparatus ~~so as to cause a display unit of the external apparatus to display a process end confirmation window; and~~

an obtainment step, of obtaining a reply to the process end notice from the external apparatus,

wherein said memory management step includes releasing the memory area for executing the command train included in the received agent information in response to the reply being obtained from the external apparatus in said obtainment step.

Claim ²⁴~~124~~ (currently amended): A computer-readable memory medium which stores a program for controlling an office image processing apparatus which can be connected to a network, said memory medium comprising program codes that allow the office image processing apparatus to execute:

a reception control step, of controlling a reception process of receiving agent information including a command train in which a work flow is programmed describing a series of processes to be executed in a plurality of office image processing apparatuses, wherein the work flow further describes ~~a first office apparatus from the plurality of office apparatuses to execute a first process and a second office apparatus from the plurality of office apparatuses to execute a second process after completion of the first process by the first office apparatus~~ a first image process to be executed in the image processing apparatus and a second image process to be executed in an external image processing apparatus which is different in function from the image processing apparatus, and wherein the work flow can be programmed such that the second image process is executed after execution of the first image process;

a control step, of controlling ~~[[a]]~~ an image processing mechanism of ~~said office~~ the image processing apparatus by executing, based on the command train

included in the received agent information, a control program that controls the processing mechanism;

an execution step, of executing one of the series of processes described in the work flow to be executed in ~~said office~~ the image processing apparatus; and

D
|
a transmission control step, of controlling, responsive to said execution step terminating execution of the one process, a transmission process of automatically transmitting the agent information from the image processing apparatus to ~~an external office~~ the external image processing apparatus so as to cause the external apparatus to execute the command train based on the work flow.
